







Virtual AED

<b>Virtual Network Function (VNF) Orchestration</b>	Cloud-Init v0.7.6, Openstack Kilo and Mitaka series, OpenStack Heat, OpenStack Tacker, Ansible, Nokia Cloudband, Cisco NSO/ESC, Cisco NFVIS, Amdocs, Netcracker and other ONAP or ETSI NFV management and orchestration technologies	
<b>Support for Amazon AWS</b>	Yes, Amazon EC2	
<b>Minimum Virtual Machine Requirements</b>	vCPUs: 2; NICs: 1 to 10; Memory: 6 GB; Storage: 100 GB	
<b>Supported Hypervisors</b>	VMware vSphere 5.5+	KVM kernel 3.19 QEMU 2.0
<b>Inspection Throughput/Instance</b>	1 Gbps	1 Gbps
<b>Maximum DDoS Flood Rate/Instance</b>	910 Mbps	600 Kpps
<b>Protection Groups</b>	10; 50 with 4 vCPUs and 12 GB RAM	10; 50 with 4 vCPUs and 12 GB RAM

PROOF #4



**Corporate Headquarters**  
 NETSCOUT Systems, Inc.  
 Westford, MA 01886-4105  
 Phone: +1 978-614-4000  
[www.netscout.com](http://www.netscout.com)

**Sales Information**  
 Toll Free US: 800-309-4804  
 (International numbers below)

**Product Support**  
 Toll Free US: 888-357-7667  
 (International numbers below)

NETSCOUT offers sales, support, and services in over 32 countries. Global addresses, and international numbers are listed on the NETSCOUT website at: [www.netscout.com/company/contact-us](http://www.netscout.com/company/contact-us)